Product sheet

ACTI 9 25A 2P 10000A Icn Miniature Circuit Breaker

Brand: SCHNEIDER

Reference: IMPO A9F85225

Acti 9 iC60 RCBO miniature circuit breaker, 2-pole, rated current 25 A. Designed for DC and AC current, with a breaking capacity of up to 42 kA. Ideal for small businesses, complies with EN 60898-1 and IEC 60898-1 standards.

View product online

Description

The **Acti 9 iC60 RCBO** is a high-efficiency miniature circuit breaker designed for applications with currents above 0.1 A. It belongs to the Acti 9 range and is distinguished by its robustness and reliability in protecting electrical circuits. This device has 2P poles, allowing for the simultaneous protection of two poles, and a rated current of 25 A, making it suitable for both DC and AC networks.

The trip unit technology is thermal-magnetic, ensuring a fast response to overloads and short circuits.

Its breaking capacity is remarkable, reaching up to 10,000 A Icn at 400 V AC and 42 kA Icu across different voltage ranges, making it a safe choice for commercial and residential environments.

Technical features include:

- Main frequency: 50/60 Hz
- Nominal operating voltage: 220...240 V AC, 400 V AC, 380...415 V AC
- Limitation class: 3 according to EN 60898-1
- Mechanical durability: 20,000 cycles
- Protection rating: IP20
- Operating ambient temperature: -35…70 °C
- DIN rail mounting
- Connections for rigid and flexible cables up to 25 mm^2
- Contact position indicator and trip signal
- Product weight: 0.25 kg

The Acti 9 iC60 RCBO is ideal for small businesses that require a reliable and efficient electrical protection solution.

Specifications

Rated current (A)	25
Curve	D
EAN	3606480083174
Manufacturer	Schneider
No. of poles	2P
Reference	SCHNEIDER A9F85225